

*CLAIM AMENDMENTS*

1. (Currently amended) A management model for managing at least resources and tasks in a computerized enterprise system, comprising:

a user interface;

a common information model object manager (CIMOM) exposing a first plurality of standard interfaces, said CIMOM in communication with said user interface through one of said first plurality of standard interfaces; ~~and~~

at least one provider decoupled from said user interface and communicating with said CIMOM via another of said first plurality of standard interfaces, said provider exposing a second standard interface to allow management of the enterprise system resources and tasks at the provider level; and

wherein said at least one provider performs syntax and semantic checks on inputs received from an user via said user interface and passed via said CIMOM.

2. (Canceled)

3. (Currently Amended) The model of claim 12, wherein said user interface performs essentially no syntax and semantic checks of said inputs.

4. (Previously presented) The model of claim 1, wherein said second standard interface exposed by said provider includes command methods for getting and setting attribute values.

5. (Original) The model of claim 4, wherein said command methods for getting and setting attribute values are exposed for only particular attributes of said system resources and tasks based on privileges contained in a user profile.

6. (Previously presented) The model of claim 1, wherein said second standard interface exposed by said provider includes a command method for getting help strings.

7. (Currently Amended) A management model for managing at least resources and tasks in a computerized enterprise system, comprising:

a user interface;

a common information model object manager (CIMOM) exposing a first plurality of standard interfaces, said CIMOM in communication with said user interface through one of said first plurality of standard interfaces;

at least one provider decoupled from said user interface and communicating with said CIMOM via another of said first plurality of standard interfaces, said provider exposing a second standard interface to allow management of the enterprise system resources and tasks at the provider level;

wherein said second standard interface exposed by said provider includes a command method for getting help strings; and

The model of claim 6, wherein said command method for getting help strings are exposed based on an expertise level contained in a user profile.

8. (Original) The model of claim 1, further comprising an active directory (AD) containing system resource information.

9. (Original) The model of claim 8, wherein system resource information includes at least one user profile.

10. (Previously presented) The model of claim 1, wherein said second standard interface exposed by said provider includes command methods for saving and restoring configuration data.

11. (Currently Amended) A management model for managing at least resources and tasks in a computerized enterprise system, comprising:

a user interface;

a common information model object manager (CIMOM) exposing a first plurality of standard interfaces, said CIMOM in communication with said user interface through one of said first plurality of standard interfaces;

at least one provider decoupled from said user interface and communicating with said CIMOM via another of said first plurality of standard interfaces, said provider exposing a second standard interface to allow management of the enterprise system resources and tasks at the provider level; and

~~The model of claim 1,~~ wherein said provider dynamically localizes a language of said user interface.

12. (Original) The model of claim 11, wherein said user interface comprises a Web browser, and wherein said provider dynamically localizes a language of said user interface based on a sensed language preference of said Web browser.

13. (Original) The model of claim 11, wherein said provider dynamically localizes a language of said user interface based on settings in a user profile.

14. (Original) The model of claim 1, wherein said user interface comprises a command line interface (CLI).

15. (Original) The model of claim 1, wherein said user interface comprises a Web browser.

16. (Currently Amended) A computer-readable medium having computer-executable components, comprising:

a user interface component for providing information to and receiving data and commands from a user;

a common information model object manager (CIMOM) component for exposing a first plurality of standard interfaces, said CIMOM component communicating with said user interface through one of said first plurality of standard interfaces; ~~and~~

at least one provider component for exposing a second standard interface to allow management of an enterprise system resources and tasks at the provider level, said provider component communicating with said CIMOM via another of said first plurality of standard interfaces; and-

wherein said at least one provider component performs syntax and semantic checks on inputs received from said user interface component via said CIMOM component.

17. (Canceled)

18. (Previously presented) The computer-readable medium of claim 16, wherein said second standard interface exposed by said provider component includes command methods for getting and setting attribute values.

19. (Previously presented) The computer-readable medium of claim 16, further comprising a database component for storing at least a user profile, and wherein command methods for getting and setting attribute values are exposed for only particular attributes of said system resources and tasks based on privileges contained in said user profile.

20. (Previously presented) The computer-readable medium of claim 16, wherein said second standard interface exposed by said provider includes a command method for getting help strings.

21. (Currently Amended) A computer-readable medium having computer-executable components, comprising:

\_\_\_\_\_ a user interface component for providing information to and receiving data and commands from a user;

\_\_\_\_\_ a common information model object manager (CIMOM) component for exposing a first plurality of standard interfaces, said CIMOM component communicating with said user interface through one of said first plurality of standard interfaces;

\_\_\_\_\_ at least one provider component for exposing a second standard interface to allow management of an enterprise system resources and tasks at the provider level, said provider component communicating with said CIMOM via another of said first plurality of standard interfaces;

~~The computer readable medium of claim 20, further comprising a database component for storing at least a user profile; and~~

\_\_\_\_\_ wherein said second standard interface exposed by said provider includes a command method for getting help strings; and

wherein said command method for getting help strings are exposed based on an expertise level contained in said user profile.

22. (Previously presented) The computer-readable medium of claim 16, further comprising a directory component for storing system resource information.

23. (Previously presented) The computer-readable medium of claim 16, wherein said second standard interface exposed by said provider component includes command methods for saving and restoring configuration data.

24. (Currently Amended) A computer-readable medium having computer-executable components, comprising:

\_\_\_\_\_ a user interface component for providing information to and receiving data and commands from a user;

a common information model object manager (CIMOM) component for exposing a first plurality of standard interfaces, said CIMOM component communicating with said user interface through one of said first plurality of standard interfaces;

at least one provider component for exposing a second standard interface to allow management of an enterprise system resources and tasks at the provider level, said provider component communicating with said CIMOM via another of said first plurality of standard interfaces; and

~~The computer-readable medium of claim 16,~~ wherein said provider component dynamically localizes a language of said user interface component.

25. (Original) The computer-readable medium of claim 24, wherein said user interface component comprises a Web browser component, and wherein said provider component dynamically localizes a language of said user interface based on a sensed language preference of said Web browser.

26. (Original) A computer-readable medium having a computer-executable management system provider component including computer-executable instructions for performing the steps of:

- exposing a standard interface;
- receiving information via the standard interface relating to management of at least one of an enterprise resource and task; and
- performing syntax and semantic checks on the information.

27. (Original) The computer-readable medium of claim 26, wherein said computer-executable management system provider component further includes computer-executable instructions for performing the steps of getting and setting an attribute value.

28. (Original) The computer-readable medium of claim 27, wherein said computer-executable management system provider component further includes computer-executable

instructions for performing the step of extracting user profile information from an external database, and wherein said steps of getting and setting an attribute value are exposed for particular attribute values based on the user profile.

29. (Original) The computer-readable medium of claim 26, wherein said computer-executable management system provider component further includes computer-executable instructions for performing the step of getting help strings.

30. (Currently Amended) A computer-readable medium having a computer-executable management system provider component including computer-executable instructions for performing the steps of:

\_\_\_\_\_ exposing a standard interface;  
\_\_\_\_\_ receiving information via the standard interface relating to management of at least one of an enterprise resource and task;  
\_\_\_\_\_ performing syntax and semantic checks on the information;  
\_\_\_\_\_ wherein said computer-executable management system provider component further includes computer-executable instructions for performing the step of getting help strings;

\_\_\_\_\_ The computer-readable medium of claim 29, wherein said computer-executable management system provider component further includes computer-executable instructions for performing the step of extracting user language preference information from an external component; and

\_\_\_\_\_ wherein said step of getting help strings includes the step of dynamically localizing the help strings based on the user language preference information.

31. (Currently Amended) A computer-readable medium having a computer-executable management system provider component including computer-executable instructions for performing the steps of:

\_\_\_\_\_ exposing a standard interface;

receiving information via the standard interface relating to management of at least one of an enterprise resource and task;

performing syntax and semantic checks on the information;

wherein said computer-executable management system provider component further includes computer-executable instructions for performing the step of getting help strings;

~~The computer-readable medium of claim 29,~~ wherein said computer-executable management system provider component further includes computer-executable instructions for performing the step of extracting user profile information from an external database; and

wherein said step of getting help strings is exposed based on the user profile.

32. (Original) The computer-readable medium of claim 26, wherein said computer-executable management system provider component further includes computer-executable instructions for performing the steps of saving and restoring enterprise configuration data to and from an external memory component.

33– 36. (Canceled)

37. (Currently Amended) A method of exposing an element of an enterprise system to be managed, comprising the steps of:

defining at least one user interface component to expose and allow access to the element on a user interface;

implementing at least one provider for the element, said provider providing a class definition and generating instances of the class to which the element belongs, said provider further providing a standard interface to allow management of the element via the at least one user interface;

wherein said user interface component is a Web user interface, and wherein the step of defining at least one user interface component to expose and allow access to the element on a user interface comprises the steps of



defining Web elements that add links to the managed element in a Web UI framework, and

implementing ASP scripts that implement the at least one provider; and

~~The method of claim 36,~~ wherein the step of implementing ASP scripts comprises the step of localizing a language of the ASP scripts.

38-46. (Canceled)

47. (Previously presented) In a computer system having a graphical user interface including a display and a user interface selection device, a method of providing and selecting management tasks and resources, comprising the steps of:

providing a display having multiple panes;

displaying a list of elements available for management in one of said panes; and

displaying data relating to active index items in another of said panes upon selection of one of said elements of said list.

48. (Previously presented) The model of claim 1, wherein said first plurality of standard interfaces exposed by said CIMOM are COM interfaces.

49. (Currently Amended) The computer-readable medium of claim 176, wherein said first plurality of standard interfaces exposed by said CIMOM are COM interfaces.

50. (Currently Amended) A method of dynamically localizing a user interface which exposes and allows access to an element of an enterprise system to be managed, comprising the steps of:

implementing at least one provider for the element, said provider providing a standard interface to allow management of the element via the user interface;

extracting language preference information for a user; and

In re Appln. of Kumbalimutt et al.  
Application No. 09/502,689

dynamically localizing the user interface based on the language preference information.